

RDKS Zuordnungsliste

AFTERMARKET- UND OE-SENSOREN

INHALTSVERZEICHNIS

Aktuelle Räder

ARKTIS	3 – 5
BAVARO	6 – 8
DAVOS	9 – 11
DH	12 – 15
KIBO	16 – 17
KIBO X	18 – 19
KODIAK	20 – 23
LE MANS	24 – 25
LUCCA	26 – 29
LUGANO	30 – 32
M10	33 – 36
MILANO	37 – 40
QUINTO	41 – 44
TORINO	44 – 45
TRANSPORTER	46 – 48
X10	49 – 52

Vorherige Räder

CAMPO	54 – 56
CATANIA	57 – 58
COMO	59 – 61
DF	62 – 63
MURAGO	64 – 67
NORANO	68 – 69
OSLO	70 – 72
PADUA	73 – 74
RIGA	75 – 76
SALERNO	77 – 78
U1	79 – 82
ZAMORA	83 – 84



AKTUELLE RÄDER

RDKS Zuordnungsliste

ARKTIS

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1 - Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M								216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
ARKTIS	ARK605	23, 35, 38, 43, 45	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ARK656	33, 40, 41, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	ARK757	40, 45, 52	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ARK808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

ARKTIS

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
ARKTIS	ARK605	23, 35, 38, 43, 45	6	15	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	
	ARK656	33, 40, 41, 48, 50	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	✓	
	ARK757	40, 45, 52	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	ARK808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

ARKTIS

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
ARKTIS	ARK605	23, 35, 38, 43, 45	6	15	✓	✓	✓		✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	ARK656	33, 40, 41, 48, 50	6,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	ARK757	40, 45, 52	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	ARK808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
ARKTIS	ARK605	23, 35, 38, 43, 45	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ARK656	33, 40, 41, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ARK757	40, 45, 52	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ARK808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

BAVARO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1 - Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
BAVARO	BR605	39, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	BR656	33, 38, 42, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	BR756	37, 45	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓
	BR757	27, 36, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	BR808	35, 40, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

BAVARO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
BAVARO	BR605	39, 47	6	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	BR656	33, 38, 42, 46, 50	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	BR756	37, 45	7,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-	
	BR757	27, 36, 47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	BR808	35, 40, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

BAVARO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
BAVARO	BR605	39, 47	6	15	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓
	BR656	33, 38, 42, 46, 50	6,5	16	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓
	BR756	37, 45	7,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	BR757	27, 36, 47	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	BR808	35, 40, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
BAVARO	BR605	39, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	BR656	33, 38, 42, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	BR756	37, 45	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	BR757	27, 36, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	BR808	35, 40, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

DAVOS

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
DAVOS	DO554	24, 35, 43, 40	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DO655	25, 38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DO656	51	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	DO706	29, 30, 32, 34, 38, 44, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	DO757	28, 35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

RDKS Zuordnungsliste

DAVOS

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
DAVOS	DO554	24, 35, 43, 40	5,5	14	✓	✓	✓	-	✓	✓	✓	✓	✓	-	-	✓	-	
	DO655	25, 38, 45	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	DO656	51	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	DO706	29, 30, 32, 34, 38, 44, 48	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	DO757	28, 35, 47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	

RDKS Zuordnungsliste

DAVOS

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
DAVOS	DO554	24, 35, 43, 40	5,5	14	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	DO655	25, 38, 45	6,5	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	DO656	51	6,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	DO706	29, 30, 32, 34, 38, 44, 48	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	DO757	28, 35, 47	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
DAVOS	DO554	24, 35, 43, 40	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DO655	25, 38, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	DO656	51	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	DO706	29, 30, 32, 34, 38, 44, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	DO757	28, 35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓

RDKS Zuordnungsliste

DH

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel *k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel *k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
DH	DH605	44, 52	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH655	47	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH606	54	6	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH756	45, 49	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH757	47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH807	45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH857	30	8,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH858	34	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	DH859	56	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

DH

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
DH	DH605	44, 52	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DH655	47	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓	-	
	DH606	54	6	16	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	✓	✓	
	DH706	38, 48	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	DH756	45, 49	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DH757	47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DH807	45	8	17	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	DH857	30	8,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DH858	34	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	DH859	56	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

DH

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
DH	DH605	44, 52	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	DH655	47	6,5	15	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	-
	DH606	54	6	16	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓
	DH706	38, 48	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	DH756	45, 49	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	DH757	47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	DH807	45	8	17	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	-	✓	✓
	DH857	30	8,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	DH858	34	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	DH859	56	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

RDKS Zuordnungsliste

DH

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141	
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)	
		Generation																	
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041	
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	Gummi
DH	DH605	44, 52	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH655	47	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	DH606	54	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH756	45, 49	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH757	47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH807	45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH857	30	8,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH858	34	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	DH859	56	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

KIBO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
KIBO	KIB757	40, 45, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	KIB808	38, 42, 45, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	KIB809	40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	KIB8520	36, 45	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3					Generation Gamma	Generation J		Generation 2&3		Generation 2&3
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
KIBO	KIB757	40, 45, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	KIB808	38, 42, 45, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KIB809	40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KIB8520	36, 45	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

KIBO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
KIBO	KIB757	40, 45, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KIB808	38, 42, 45, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KIB809	40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KIB8520	36, 45	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
KIBO	KIB757	40, 45, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KIB808	38, 42, 45, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KIB809	40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KIB8520	36, 45	8,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

KIBO X

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
KIBO X	KIBX9020	33, 43, 52	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KIBX9521	22, 35, 42, 53	9,5	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
KIBO X	KIBX9020	33, 43, 52	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KIBX9521	22, 35, 42, 53	9,5	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

KIBO X

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit FüÙe	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
KIBO X	KIBX9020	33, 43, 52	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KIBX9521	22, 35, 42, 53	9,5	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
KIBO X	KIBX9020	33, 43, 52	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KIBX9521	22, 35, 42, 53	9,5	21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

KODIAK

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1 - Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
KODIAK	KK504	38	5	14	✓	✓	✓	✓	-	-	✓	✓	✓	-	✓	✓	-	✓	✓	
	KK554	35, 39, 47	5,5	14	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	
	KK555	40	5,5	15	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓	✓	✓	✓	
	KK605	23, 38, 39, 43, 46, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	KK606	30, 40, 43, 45, 48, 50	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	KK656	33, 39, 40, 41, 42, 46, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	KK706	36, 46, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	KK707	39, 40, 41, 49, 50, 51	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	KK757	28, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	KK758	45, 49,5, 51, 55	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KK808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	KK809	32, 38, 42, 5, 44, 50, 55	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

RDKS Zuordnungsliste

KODIAK

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
KODIAK	KK504	38	5	14	✓	-	-	✓	✓	✓	✓	-	-	-	✓	-	-	
	KK554	35, 39, 47	5,5	14	-	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓	
	KK555	40	5,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	KK605	23, 38, 39, 43, 46, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KK606	30, 40, 43, 45, 48, 50	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	KK656	33, 39, 40, 41, 42, 46, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	KK706	36, 46, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KK707	39, 40, 41, 49, 50, 51	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KK757	28, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KK758	45, 49,5, 51, 55	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KK808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	KK809	32, 38, 42, 5, 44, 50, 55	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

KODIAK

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
KODIAK	KK504	38	5	14	-	✓	✓	-	-	-	-	-	-	-	-	-	✓	✓
	KK554	35, 39, 47	5,5	14	✓	✓	-	✓	✓	✓	-	✓	✓	✓	-	✓	✓	✓
	KK555	40	5,5	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK605	23, 38, 39, 43, 46, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK606	30, 40, 43, 45, 48, 50	6	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK656	33, 39, 40, 41, 42, 46, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK706	36, 46, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK707	39, 40, 41, 49, 50, 51	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK757	28, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK758	45, 49,5, 51, 55	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	KK809	32, 38, 42, 5, 44, 50, 55	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

RDKS Zuordnungsliste

KODIAK

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141	
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)	
		Generation																	
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041	
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	Gummi
KODIAK	KK504	38	5	14	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	-	-	-
	KK554	35, 39, 47	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK555	40	5,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK605	23, 38, 39, 43, 46, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK606	30, 40, 43, 45, 48, 50	6	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK656	33, 39, 40, 41, 42, 46, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK706	36, 46, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK707	39, 40, 41, 49, 50, 51	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK757	28, 38, 45	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK758	45, 49,5, 51, 55	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK808	31, 39, 40, 47	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	KK809	32, 38, 42, 5, 44, 50, 55	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

LE MANS

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M				4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault				216035[A]	2020			
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
LE MANS	LE505	24	5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	LE605	25	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	

					OE-SENSOREN													
					100	101	102	103	104	105	106	107	108	109	110	111	112	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
LE MANS	LE505	24	5	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	✓	
	LE605	25	6	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	✓	

RDKS Zuordnungsliste

LE MANS

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
LE MANS	LE505	24	5	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	LE605	25	6	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
LE MANS	LE505	24	5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LE605	25	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

LUCCA

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1 - Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
LUCCA	LUC656	38, 41, 46, 47, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LUC657	20, 38, 40, 45, 49	6,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LUC757	29, 37, 45, 50, 52,5	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LUC808	33, 39, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LUC809	33, 40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LUC8020	35, 36, 40, 45, 48	8	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

LUCCA

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
LUCCA	LUC656	38, 41, 46, 47, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	LUC657	20, 38, 40, 45, 49	6,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	LUC757	29, 37, 45, 50, 52,5	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	LUC808	33, 39, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	LUC809	33, 40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	LUC8020	35, 36, 40, 45, 48	8	20	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

LUCCA

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
LUCCA	LUC656	38, 41, 46, 47, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	LUC657	20, 38, 40, 45, 49	6,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	LUC757	29, 37, 45, 50, 52,5	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	LUC808	33, 39, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	LUC809	33, 40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	LUC8020	35, 36, 40, 45, 48	8	20	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

RDKS Zuordnungsliste

LUCCA

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141	
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)	
		Generation																	
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041	
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	Gummi
LUCCA	LUC656	38, 41, 46, 47, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LUC657	20, 38, 40, 45, 49	6,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LUC757	29, 37, 45, 50, 52,5	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LUC808	33, 39, 45, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LUC809	33, 40, 45	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LUC8020	35, 36, 40, 45, 48	8	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

LUGANO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1 - Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
LUGANO	LU656	25, 40, 48	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LU756	38, 48	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LU757	36, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LU808	35, 40, 43, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	LU859	20, 32, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

LUGANO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
LUGANO	LU656	25, 40, 48	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	LU756	38, 48	7,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	LU757	36, 47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	LU808	35, 40, 43, 50	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	LU859	20, 32, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

LUGANO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS.6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
LUGANO	LU656	25, 40, 48	6,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	LU756	38, 48	7,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	LU757	36, 47	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	LU808	35, 40, 43, 50	8	18	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	LU859	20, 32, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
LUGANO	LU656	25, 40, 48	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LU756	38, 48	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LU757	36, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LU808	35, 40, 43, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	LU859	20, 32, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓

RDKS Zuordnungsliste

M10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel *k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel *k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
M10	M10 656	38, 49	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	M10 657	38, 44, 49	6,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	M10 756	45	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	M10 707	48, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	M10 757	36, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	M10 807	48	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 758	33, 44, 49, 50, 5	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	M10 808	38, 43, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 858	34, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 859	35, 45, 54	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

M10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. FüÙe	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
M10	M10 656	38, 49	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	M10 657	38, 44, 49	6,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	M10 756	45	7,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	M10 707	48, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	M10 757	36, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	M10 807	48	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	M10 758	33, 44, 49, 50, 5	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	M10 808	38, 43, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	M10 858	34, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	M10 859	35, 45, 54	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

M10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
M10	M10 656	38, 49	6,5	16	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 657	38, 44, 49	6,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 756	45	7,5	16	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	M10 707	48, 50	7	17	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 757	36, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 807	48	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 758	33, 44, 49, 50, 5	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 808	38, 43, 48	8	18	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 858	34, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	M10 859	35, 45, 54	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

RDKS Zuordnungsliste

M10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
		Generation			Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
M10	M10 656	38, 49	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 657	38, 44, 49	6,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 756	45	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 707	48, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 757	36, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 807	48	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 758	33, 44, 49, 50, 5	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 808	38, 43, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 858	34, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	M10 859	35, 45, 54	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

MILANO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
MILANO	MI554	24, 35, 40, 43	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	MI605	25, 38, 45	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	MI655	29, 38, 47, 52	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	MI656	25, 33, 38, 39, 40, 45, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	MI707	40	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	MI758	40	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

RDKS Zuordnungsliste

MILANO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
MILANO	MI554	24, 35, 40, 43	5,5	14	✓	✓	✓	-	✓	✓	✓	✓	✓	-	-	✓	-	
	MI605	25, 38, 45	6	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	MI655	29, 38, 47, 52	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	MI656	25, 33, 38, 39, 40, 45, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	MI707	40	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	MI758	40	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

MILANO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
MILANO	MI554	24, 35, 40, 43	5,5	14	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MI605	25, 38, 45	6	15	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓
	MI655	29, 38, 47, 52	6,5	15	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	-
	MI656	25, 33, 38, 39, 40, 45, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MI707	40	7	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	MI758	40	7,5	18	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

RDKS Zuordnungsliste

MILANO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
		Generation			Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
MILANO	MI554	24, 35, 40, 43	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	MI605	25, 38, 45	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MI655	29, 38, 47, 52	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	MI656	25, 33, 38, 39, 40, 45, 48, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MI707	40	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MI758	40	7,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

QUINTO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel *k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel *k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
QUINTO	QU706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	QU757	35 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	QU808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	QU859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	QU909	48, 50, 60	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	QU9520	38, 52, 53	9,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

QUINTO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
QUINTO	QU706	38, 48	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	QU757	35 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	QU808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	QU859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	QU909	48, 50, 60	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	QU9520	38, 52, 53	9,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

QUINTO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
QUINTO	QU706	38, 48	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	QU757	35 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	QU808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	QU859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	QU909	48, 50, 60	9	19	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	QU9520	38, 52, 53	9,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
QUINTO	QU706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	QU757	35 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	QU808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	QU859	35, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	QU909	48, 50, 60	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	QU9520	38, 52, 53	9,5	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

TORINO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
TORINO	TOR656	40, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TOR757	40, 48	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TOR808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TOR809	40, 48	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

					OE-SENSOREN														
					100	101	102	103	104	105	106	107	108	109	110	111	112		
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3		
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3					Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW									4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°		
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In		
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall		
TORINO	TOR656	40, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	TOR757	40, 48	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	TOR808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	TOR809	40, 48	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

RDKS Zuordnungsliste

TORINO

[→ Zurück zum Inhaltsverzeichnis](#)

Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
TORINO	TOR656	40, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	TOR757	40, 48	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	TOR808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	TOR809	40, 48	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
TORINO	TOR656	40, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TOR757	40, 48	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TOR808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TOR809	40, 48	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

TRANSPORTER

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1 - Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
TRANSPORTER	TP605	55, 68	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TP656-5L	50, 66	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TP656-6L	56, 62	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TP707-5L	55, 66	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	TP707-6L	22, 57	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

TRANSPORTER

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
TRANS-PORTER	TP605	55, 68	6	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	TP656-5L	50, 66	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	TP656-6L	56, 62	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	TP707-5L	55, 66	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	TP707-6L	22, 57	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

TRANSPORTER

→ [Zurück zum Inhaltsverzeichnis](#)

Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS.6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
TRANS-PORTER	TP605	55, 68	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	TP656-5L	50, 66	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	TP656-6L	56, 62	6,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	TP707-5L	55, 66	7	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	TP707-6L	22, 57	7	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
TRANS-PORTER	TP605	55, 68	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TP656-5L	50, 66	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TP656-6L	56, 62	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TP707-5L	55, 66	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	TP707-6L	22, 57	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

X10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Metall
X10	X10 706	31, 40, 47, 52	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	X10 707	40, 47, 49, 50, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	X10 757	32, 37, 43, 54	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	X10 807	30	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	-
	X10 708	22, 43, 45	7	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	X10 808	30	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	-
	X10 808	43	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	X10 509	43	5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	X10 809	30, 40, 47, 50, 57	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10X-858	18, 37, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	X10X-909	18, 37, 48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

X10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
X10	X10 706	31, 40, 47, 52	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	X10 707	40, 47, 49, 50, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	X10 757	32, 37, 43, 54	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	X10 807	30	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	
	X10 708	22, 43, 45	7	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	X10 808	30	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	X10 808	43	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	
	X10 509	43	5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	X10 809	30, 40, 47, 50, 57	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	X10X-858	18, 37, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	X10X-909	18, 37, 48	9	19	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	

RDKS Zuordnungsliste

X10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
X10	X10 706	31, 40, 47, 52	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	X10 707	40, 47, 49, 50, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	X10 757	32, 37, 43, 54	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	X10 807	30	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	-
	X10 708	22, 43, 45	7	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	X10 808	30	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	X10 808	43	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	✓	-
	X10 509	43	5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	X10 809	30, 40, 47, 50, 57	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	X10X-858	18, 37, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	X10X-909	18, 37, 48	9	19	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

RDKS Zuordnungsliste

X10

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141	
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)	
		Generation																	
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041	
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	Gummi
X10	X10 706	31, 40, 47, 52	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	X10 707	40, 47, 49, 50, 54	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10 757	32, 37, 43, 54	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10 807	30	8	17	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-
	X10 708	22, 43, 45	7	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10 808	30	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10 808	43	8	18	✓	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-	-
	X10 509	43	5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10 809	30, 40, 47, 50, 57	8	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10X-858	18, 37, 48	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	X10X-909	18, 37, 48	9	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

VORHERIGE RÄDER

RDKS Zuordnungsliste

CAMPO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
CAMPO	CA553	16, 38	5,5	13	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CA554	24, 35, 43	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CA655	15, 25, 38, 42, 45, 48	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CA656	38, 40, 42, 45	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CA707	38, 46	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	

RDKS Zuordnungsliste

CAMPO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VU0A Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
CAMPO	CA553	16, 38	5,5	13	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	✓	✓	
	CA554	24, 35, 43	5,5	14	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	
	CA655	15, 25, 38, 42, 45, 48	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	CA656	38, 40, 42, 45	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	CA707	38, 46	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	

RDKS Zuordnungsliste

CAMPO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
CAMPO	CA553	16, 38	5,5	13	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓
	CA554	24, 35, 43	5,5	14	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓
	CA655	15, 25, 38, 42, 45, 48	6,5	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	CA656	38, 40, 42, 45	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	CA707	38, 46	7	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
CAMPO	CA553	16, 38	5,5	13	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	CA554	24, 35, 43	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	CA655	15, 25, 38, 42, 45, 48	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	CA656	38, 40, 42, 45	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	CA707	38, 46	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓

RDKS Zuordnungsliste

CATANIA

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
CATANIA	CT756	38, 48	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CT807	35, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	CT858	38, 45	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	CT859	30, 40	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112		
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3		
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3					Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW									4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°		
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In		
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall		
CATANIA	CT756	38, 48	7,5	16	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-		
	CT807	35, 45	8	17	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓		
	CT858	38, 45	8,5	18	✓	✓	-	-	✓	✓	✓	✓	✓	✓	-	✓	-		
	CT859	30, 40	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓		

RDKS Zuordnungsliste

CATANIA

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
CATANIA	CT756	38, 48	7,5	16	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	-	✓	-
	CT807	35, 45	8	17	✓	✓	✓	✓	✓	✓	-	-	-	-	-	✓	✓	-
	CT858	38, 45	8,5	18	✓	-	-	✓	✓	✓	-	-	-	-	-	✓	✓	-
	CT859	30, 40	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
CATANIA	CT756	38, 48	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	CT807	35, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	CT858	38, 45	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CT859	30, 40	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

COMO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel *k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel *k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
COMO	CO655	25, 38, 42	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	-	✓
	CO705	38	7	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	-	✓
	CO706	38, 46	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
	CO707	25, 40	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	-	✓
	CO757	35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	-	✓
	CO808	35, 45	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-	-	✓

RDKS Zuordnungsliste

COMO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
COMO	CO655	25, 38, 42	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	CO705	38	7	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	CO706	38, 46	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	CO707	25, 40	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	CO757	35, 47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	CO808	35, 45	8	18	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	✓	-	

RDKS Zuordnungsliste

COMO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
COMO	CO655	25, 38, 42	6,5	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	CO705	38	7	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	CO706	38, 46	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	CO707	25, 40	7	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	CO757	35, 47	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	CO808	35, 45	8	18	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	-

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
COMO	CO655	25, 38, 42	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	CO705	38	7	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-
	CO706	38, 46	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CO707	25, 40	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	CO757	35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	CO808	35, 45	8	18	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-

RDKS Zuordnungsliste

DF

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M				4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault				216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
DF	DF807	38	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	-	-	-	

					OE-SENSOREN													
					100	101	102	103	104	105	106	107	108	109	110	111	112	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
DF	DF807	38	8	17	✓	✓	-	-	✓	✓	✓	✓	-	✓	-	-	-	

RDKS Zuordnungsliste

DF

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
DF	DF807	38	8	17	✓	-	-	✓	✓	-	-	-	-	-	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
DF	DF807	38	8	17	-	-	-	-	✓	-	✓	✓	✓	✓	-	-	-	-

RDKS Zuordnungsliste

MURAGO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1 - Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
MURAGO	MU655	25, 38, 42	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	MU656	25, 40, 48	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	MU706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	MU707	25, 4	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	MU757	35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	MU808	35, 43, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	MU900	35, 45, 52	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

RDKS Zuordnungsliste

MURAGO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
MURAGO	MU655	25, 38, 42	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	MU656	25, 40, 48	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	MU706	38, 48	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	MU707	25, 4	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	MU757	35, 47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	MU808	35, 43, 50	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	MU900	35, 45, 52	9	20	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	

RDKS Zuordnungsliste

MURAGO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
MURAGO	MU655	25, 38, 42	6,5	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MU656	25, 40, 48	6,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MU706	38, 48	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MU707	25, 4	7	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MU757	35, 47	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MU808	35, 43, 50	8	18	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	MU900	35, 45, 52	9	20	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-

RDKS Zuordnungsliste

MURAGO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141	
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)	
		Generation																	
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041	
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	Gummi
MURAGO	MU655	25, 38, 42	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	MU656	25, 40, 48	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	MU706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	MU707	25, 4	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MU757	35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MU808	35, 43, 50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	MU900	35, 45, 52	9	20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

NORANO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
					1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M				4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault				216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
NORANO	NR807	35, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	NR858	32, 42	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

					OE-SENSOREN													
					100	101	102	103	104	105	106	107	108	109	110	111	112	
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
NORANO	NR807	35, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	NR858	32, 42	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

RDKS Zuordnungsliste

NORANO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
NORANO	NR807	35, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	NR858	32, 42	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
NORANO	NR807	35, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	NR858	32, 42	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

OSLO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
OSLO	OS655	38, 42, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	OS706	32, 38, 42, 45, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	OS757	38, 42, 47, 50, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	OS858	29, 45, 56	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	

RDKS Zuordnungsliste

OSLO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
OSLO	OS655	38, 42, 45	6,5	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	OS706	32, 38, 42, 45, 48	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	OS757	38, 42, 47, 50, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	OS858	29, 45, 56	8,5	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	

RDKS Zuordnungsliste

OSLO

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
OSLO	OS655	38, 42, 45	6,5	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	OS706	32, 38, 42, 45, 48	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	OS757	38, 42, 47, 50, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	OS858	29, 45, 56	8,5	18	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
OSLO	OS655	38, 42, 45	6,5	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	OS706	32, 38, 42, 45, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	OS757	38, 42, 47, 50, 53	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	OS858	29, 45, 56	8,5	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓

RDKS Zuordnungsliste

PADUA

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
PADUA	PA756	31, 38, 48	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	PA807	50	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	PA808	50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	PA859	30, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
PADUA	PA756	31, 38, 48	7,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	PA807	50	8	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	PA808	50	8	18	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	PA859	30, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

PADUA

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
PADUA	PA756	31, 38, 48	7,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	PA807	50	8	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	PA808	50	8	18	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	PA859	30, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
PADUA	PA756	31, 38, 48	7,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	PA807	50	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	PA808	50	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓
	PA859	30, 40, 45	8,5	19	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

RIGA

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M									216035[A]	2020		
		Winkel			variabel %k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel %k.A.			10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Gummi	Metall
RIGA	RI706	42	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	RI757	47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			%k.A.	20°	starr 20°	20°	variabel %k.A.	variabel %k.A.	variabel %k.A.	%k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
RIGA	RI706	42	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	
	RI757	47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	

RDKS Zuordnungsliste

RIGA

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
					113	114	115	116	117	118	120	121	122	123	124	125	126	127
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
RIGA	RI706	42	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	RI757	47	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
					128	129	130	131	132	133	134	135	136	137	138	139	140	141
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
RIGA	RI706	42	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	RI757	47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

SALERNO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1 zu 1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
SALERNO	SA706	20, 30	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	SA757	34, 37, 43	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	SA807	29	8	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-	-	-	
	SA808	30	8	18	✓	-	-	-	-	-	✓	✓	✓	✓	-	✓	✓	-	-	

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112		
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3		
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3					Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW									4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°		
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall		
SALERNO	SA706	20, 30	7	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	-		
	SA757	34, 37, 43	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	-		
	SA807	29	8	17	✓	✓	✓	-	✓	-	✓	✓	-	✓	-	-	-		
	SA808	30	8	18	✓	✓	-	-	✓	-	✓	✓	-	-	-	-	-		

RDKS Zuordnungsliste

SALERNO

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
SALERNO	SA706	20, 30	7	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	SA757	34, 37, 43	7,5	17	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	-	✓	-
	SA807	29	8	17	-	-	-	-	✓	-	✓	✓	✓	✓	-	-	✓	-
	SA808	30	8	18	✓	-	-	✓	✓	-	-	-	-	-	-	-	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040 RDV021	UVS4041 RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
SALERNO	SA706	20, 30	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	SA757	34, 37, 43	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
	SA807	29	8	17	-	-	-	✓	✓	-	✓	✓	✓	✓	-	-	-	-
	SA808	30	8	18	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	-	-

RDKS Zuordnungsliste

U1

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN															
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/ Conti TG1C	VDO/ Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor	
		Generation			Generation 2	Generation 3														
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020			
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In	
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	
U1	U1 504	35	5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	U1 554	35, 37, 42	5,5	14	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	U1 605	23, 35, 38, 45, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	U1 606	23, 40	6	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	-	✓	✓	✓	✓	
	U1 656	33, 39, 40, 41, 42, 45, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	U1 756	37, 45	7,5	16	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	-	✓	
	U1 707	40, 44, 48, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	U1 757	28, 34, 37, 47, 55	7,5	17	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	
	U1 807	30, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	

RDKS Zuordnungsliste

U1

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112	
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3	
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3				Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW								4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°	
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	
U1	U1 504	35	5	14	✓	✓	✓	-	✓	✓	✓	✓	-	-	-	✓	✓	
	U1 554	35, 37, 42	5,5	14	✓	✓	✓	-	✓	✓	✓	✓	✓	-	-	✓	✓	
	U1 605	23, 35, 38, 45, 47	6	15	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	U1 606	23, 40	6	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	U1 656	33, 39, 40, 41, 42, 45, 46, 50	6,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	U1 756	37, 45	7,5	16	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	U1 707	40, 44, 48, 50	7	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	
	U1 757	28, 34, 37, 47, 55	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	✓	-	-	✓	✓	
	U1 807	30, 45	8	17	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓	✓	

RDKS Zuordnungsliste

U1

[→ Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3012 3041 3064	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
U1	U1 504	35	5	14	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	-	✓	-
	U1 554	35, 37, 42	5,5	14	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	U1 605	23, 35, 38, 45, 47	6	15	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	U1 606	23, 40	6	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	U1 656	33, 39, 40, 41, 42, 45, 46, 50	6,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	U1 756	37, 45	7,5	16	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	U1 707	40, 44, 48, 50	7	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-
	U1 757	28, 34, 37, 47, 55	7,5	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓
	U1 807	30, 45	8	17	✓	-	-	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	✓

RDKS Zuordnungsliste

U1

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141	
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)	
		Generation																	
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041	
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall	Gummi
U1	U1 504	35	5	14	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	-	-	-	-
	U1 554	35, 37, 42	5,5	14	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	-	-	✓
	U1 605	23, 35, 38, 45, 47	6	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	U1 606	23, 40	6	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓
	U1 656	33, 39, 40, 41, 42, 45, 46, 50	6,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓
	U1 756	37, 45	7,5	16	✓	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	-	✓
	U1 707	40, 44, 48, 50	7	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	U1 757	28, 34, 37, 47, 55	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	U1 807	30, 45	8	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

RDKS Zuordnungsliste

ZAMORA

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					AFTERMARKET-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16
					Huf / Beru Generation 2	Huf / Beru Generation 3	Alligator Ball-Joint	Alligator Clip-Pin	Schrader EZ-Sensor	Schrader EZ-Sensor	CUB	VDO/Conti TG1C	VDO/Conti REDI Sensor	T-Pro Tech Sensor	CUP-Snap IN bis Aug.14	Berner	Schrader Sensor ersetzt Baureihe 5 und 6	CUB-SnapIN ab Sep.15	CUB-Clamp IN 1zu1-Sensor
		Generation			Generation 2	Generation 3													
		Artikel Nr.			4001		RS3M	RS4M					4019 Ford 4021 Ford 4027 4028 Mazda 4032 Renault 4035 Renault			216035[A]	2020		
		Winkel			variabel °k.A.	0°-40°	12°-40°	20°	10°	10°	12°-40°	variabel °k.A.		10°	15°	0°-40°	20°	15°	15°
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Rim system	Clamp In	Snap In	Clamp In	Clamp In	Snap In	Clamp In
		Material			Metall	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall	Gummi	Metall	Metall	Gummi	Metall
ZAMORA	ZA705	22, 40, 38, 48	7	15	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	-
	ZA706	38, 48	7	16	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	-
	ZA757	22, 40, 35, 47	7,5	17	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	-
	ZA808	35, 48	8	18	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	-	✓

					OE-SENSOREN														
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	100	101	102	103	104	105	106	107	108	109	110	111	112		
					Huf / Beru	Schrader WALL II - beweglich oh. Füße	Schrader	Schrader LP CS3.3	VDO TG1B (verstellbar)	VDO MB	Nissan Continental 40700-3VUOA Baugleich mit VDO TG1C	Schrader	Schrader Gen. J	Schrader EZ-Sensor	Schrader SEL Version Opel	Pacific 1LA0D	Schrader LP CS2.3		
		Generation			3	Generation Alpha	Generation 4&5	Generation 2&3					Generation Gamma	Generation J		Generation 2&3		Generation 2&3	
		Artikel Nr.				3011 Daimler 3014 3008 3015	3006 3051 3001 3027 3049	3017 Fiat/GM 3031 GM 3037 Nissan 3040 Renault 3046	4023 Ford 4031 PSA 4036 Renault 4037 VW									4045 Toyota	3043
		Winkel			°k.A.	20°	starr 20°	20°	variabel °k.A.	variabel °k.A.	variabel °k.A.	°k.A.	20°	20°	starr 20°	20°	10°		
		Befestigungs-system			Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In		
		Material			Metall	Metall	Gummi	Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Metall		
ZAMORA	ZA705	22, 40, 38, 48	7	15	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	-		
	ZA706	38, 48	7	16	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	-		
	ZA757	22, 40, 35, 47	7,5	17	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	-		
	ZA808	35, 48	8	18	✓	✓	✓	-	✓	✓	✓	✓	-	✓	-	-	-		

RDKS Zuordnungsliste

ZAMORA

→ [Zurück zum Inhaltsverzeichnis](#)



Stand Oktober 2018

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	113	114	115	116	117	118	120	121	122	123	124	125	126	127
					Schrader LP CS2.3	Schrader STD CS6.3	Schrader STD HSG 3.3 / LG2.3	Schrader C9.8 - beweglich mit Füße	Schrader beweglich	Schrader	Schrader HS Faraday	Schrader Hybrid SnapIn	Schrader Rev4 Rev4.5	Schrader Rev5 Rev5	Schrader 27° -LP SG 5.0	Schrader Variable	E-LEAD EL-401R-0001	TRW
		Generation			Generation 2&3	Generation 2&3	Generation 2&3	Generation Alpha	Generation Gamma	Generation J					Generation 2&3	Generation Delta		Version I
		Artikel Nr.			3042	3026 3032 3058	3039 Nissan 3004	3011 3015	3009 3013 3033 Opel	3053 3054 3055	3002 3003 3012 3041 3064	3059 3060	1200 3027 3049 3056 3062	3000 3001 3005 3007 3018 3020	3004	2200 3057 Daimler/ BMW		52933-3x300 52934-3x300 52933-3V600 52933-2S410 4078 / 4062 4053
		Winkel			10°	20°	20°	20°	20°	20°	20°	20°	20°	20°	20°	0°-30°	21,5°	
		Befestigungs-system			Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Snap In	Snap In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In
		Material			Metall	Metall	Metall	Metall	Metall	Metall	Gummi	Gummi	Gummi	Gummi	Metall	Metall	Metall	Metall
ZAMORA	ZA705	22, 40, 38, 48	7	15	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	-
	ZA706	38, 48	7	16	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	-	✓	-
	ZA757	22, 40, 35, 47	7,5	17	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	-
	ZA808	35, 48	8	18	✓	-	-	✓	✓	-	✓	✓	✓	✓	-	✓	✓	✓

					OE-SENSOREN													
Design	Geprüfte Räder	ET	Rad-Breite	Rad Ø	128	129	130	131	132	133	134	135	136	137	138	139	140	141
					Schrader Gen4 Clamp In	Schrader HighSpeed Faraday	Schrader Hybrid Clamp In	Schrader HighSpeed SnapIn	HUF	HUF	AUTEL	T-Pro Tech Sensor	ALCAR	SP201 Simple Orange	Schrader HighSpeed Faraday	ALCAR (Neu 06/18)	HUF (Neu 06/18)	HUF (Neu 06/18)
		Generation																
		Artikel Nr.			3024 Ford	1210 3071	2210	3012 Daimler	UVS4020 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS027)	UVS4021 (OE-Nr. für BMW, Mini, Smart, Renault-Modelle RDS024)	MAX-Sensor Mod.: 88910	T-PRO Coverage	T-Pro ALCAR	SP201 Simple Orange (P451)	3074 SUBARU	ALCAR by Schrader	UVS4040_RDV021	UVS4041_RDV041
		Winkel			20°	10°	10°	10°	0°-40°	20°		20°	20°	20°	20°	20°	20°	20°
		Befestigungs-system			Clamp In	Snap In	Clamp In	Snap In	Clamp In	Snap In	Clamp In	Clamp In	Clamp In	Clamp In	Snap In	Clamp In	Clamp In	Snap In
		Material			Metall	Gummi	Metall	Gummi	Metall	Gummi	Metall	Metall	Metall	Metall	Gummi	Metall	Metall	Gummi
ZAMORA	ZA705	22, 40, 38, 48	7	15	-	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-
	ZA706	38, 48	7	16	-	✓	-	✓	✓	-	✓	✓	✓	✓	✓	-	-	-
	ZA757	22, 40, 35, 47	7,5	17	-	✓	-	✓	✓	-	✓	✓	✓	✓	✓	✓	-	-
	ZA808	35, 48	8	18	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓